Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Let's make things better.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Faisons toujours mieux.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Ας κάνουμε τον κόσμο μας καλύτερο.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Miglioriamo il tuo mondo.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Por si fazemos melhor.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Juntos hacemos tu vida mejor.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Let's make things better.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Faisons toujours mieux.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Ας κάνουμε τον κόσμο μας καλύτερο.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Miglioriamo il tuo mondo.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Por si fazemos melhor.

PHILIPS

Downloaded from www.ManualsLib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- *Scart*
- *24 Hours on/off timer*
- *Sharpness Control*
- *Teletext (only for 14PT1563)*
- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and light weight*

Remote control unit varies with model

Juntos hacemos tu vida mejor.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television
14PT1363
14PT1563

Product highlights

- ***Scart***
  To connect videorecorders, but also games and computers The scart is fully wired and so is RGB compatible
- ***24 Hours on/off timer***
  The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours
- ***Sharpness Control***
  8 steps Sharpness control for images with better details
- ***Teletext***
  Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster

Supporting Features

- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and high weight for easy portability*
- *Automatic switch-off*
- *Powerful portable aerial with high selectivity*
- *Low standby power 5 watts*
- *Remote control for installation and operation*
- *Menu driven operation*
- *Multistandard Reception Optional*
- *Hyperband Reception Optional*

RC 8201

RC 8205

Technical specifications

Chassis

Type	L6

Picture

Screen Diameter	14"
Visual Screen	34 cm

Sound

RMS output	3W
Loudspeakers	3" full range side firing

Operation

Remote control	RC8201 (14PT1363) RC8205 (14PT1563)
Settings via OSD of	Volume Brightness Contrast Colour Sharpness Timer
Timer	24 Hours on/off
Programs	70 pre-selections

Teletext

Reception standards	WST
Memories	1 page
/00, /01, /05, /07, /11	Western Eur TXT
/43	Greek+Turkish TXT
/58	East Eur Teletext
/60	Cyrillic TXT

Reception

Tuning system	70 fold VST
Transmission system	
/00, /11	PAL B/G
/01	PAL BG SECAM LL
/43, /58, /60	PAL BG DK SECAM BG DK
/05, /07	PAL I
Channel selections	
/00	VHF, UHF, S
/01, /07, /11, /43, /58/60	VHF, UHF, S, H
/05	UHF

Connections

Rear	Euro A/V connector (Cenelec Specified)
Aerial input	75 Ohm (Coax)
Front	Headphone (3.5 mm jack)

Miscellaneous

Mains	AC220-240V ±10%
Power consumption	34W
Auto stand-by power	5W
Weight (excl. pack.)	9.0 kg
Weight (incl. pack.)	10,9 kg
Dimensions	
- TV (wxhxd)	38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd)	49.5 x 46.4 x 47.6 cm
Cabinet Colour	Mid Grey 10763

Release date	March 1998
Predecessor(s)	14PT1332/14PT1532
Date of Issue	January 1998

Features and specifications subject to change without notice

Let's make things better.

PHILIPS

Down... www.ManualsLib.com

Colour Television
14PT1363
14PT1563

Product highlights

- ***Scart***
  To connect videorecorders, but also games and computers The scart is fully wired and so is RGB compatible
- ***24 Hours on/off timer***
  The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours
- ***Sharpness Control***
  8 steps Sharpness control for images with better details
- ***Teletext***
  Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster

Supporting Features

- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and high weight for easy portability*
- *Automatic switch-off*
- *Powerful portable aerial with high selectivity*
- *Low standby power 5 watts*
- *Remote control for installation and operation*
- *Menu driven operation*
- *Multistandard Reception Optional*
- *Hyperband Reception Optional*

RC 8201

RC 8205

Technical specifications

Chassis

Type	L6

Picture

Screen Diameter	14"
Visual Screen	34 cm

Sound

RMS output	3W
Loudspeakers	3" full range side firing

Operation

Remote control	RC8201 (14PT1363) RC8205 (14PT1563)
Settings via OSD of	Volume Brightness Contrast Colour Sharpness Timer
Timer	24 Hours on/off
Programs	70 pre-selections

Teletext

Reception standards	WST
Memories	1 page
/00, /01, /05, /07, /11	Western Eur TXT
/43	Greek+Turkish TXT
/58	East Eur Teletext
/60	Cyrillic TXT

Reception

Tuning system	70 fold VST
Transmission system	
/00, /11	PAL B/G
/01	PAL BG SECAM LL
/43, /58, /60	PAL BG DK SECAM BG DK
/05, /07	PAL I
Channel selections	
/00	VHF, UHF, S
/01, /07, /11, /43, /58/60	VHF, UHF, S, H
/05	UHF

Connections

Rear	Euro A/V connector (Cenelec Specified)
Aerial input	75 Ohm (Coax)
Front	Headphone (3.5 mm jack)

Miscellaneous

Mains	AC220-240V ±10%
Power consumption	34W
Auto stand-by power	5W
Weight (excl pack.)	9.0 kg
Weight (incl pack.)	10,9 kg
Dimensions	
- TV (wxhxd)	38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd)	49.5 x 46.4 x 47.6 cm
Cabinet Colour	Mid Grey 10763

Release date	March 1998
Predecessor(s)	14PT1332/14PT1532
Date of Issue	January 1998

Features and specifications subject to change without notice

Faisons toujours mieux.

PHILIPS

Downl... ManualsLib.com

Colour Television
14PT1363
14PT1563

Product highlights

- ***Scart***
  To connect videorecorders, but also games and computers The scart is fully wired and so is RGB compatible
- ***24 Hours on/off timer***
  The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours
- ***Sharpness Control***
  8 steps Sharpness control for images with better details
- ***Teletext***
  Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster

Supporting Features

- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and high weight for easy portability*
- *Automatic switch-off*
- *Powerful portable aerial with high selectivity*
- *Low standby power 5 watts*
- *Remote control for installation and operation*
- *Menu driven operation*
- *Multistandard Reception Optional*
- *Hyperband Reception Optional*

RC 8201

RC 8205

Technical specifications

Chassis

Type	L6

Picture

Screen Diameter	14"
Visual Screen	34 cm

Sound

RMS output	3W
Loudspeakers	3" full range side firing

Operation

Remote control	RC8201 (14PT1363) RC8205 (14PT1563)
Settings via OSD of	Volume Brightness Contrast Colour Sharpness Timer
Timer	24 Hours on/off
Programs	70 pre-selections

Teletext

Reception standards	WST
Memories	1 page
/00, /01, /05, /07, /11	Western Eur TXT
/43	Greek+Turkish TXT
/58	East Eur Teletext
/60	Cyrillic TXT

Reception

Tuning system	70 fold VST
Transmission system	
/00, /11	PAL B/G
/01	PAL BG SECAM LL
/43, /58, /60	PAL BG DK SECAM BG DK
/05, /07	PAL I
Channel selections	
/00	VHF, UHF, S
/01, /07, /11, /43, /58/60	VHF, UHF, S, H
/05	UHF

Connections

Rear	Euro A/V connector (Cenelec Specified)
Aerial input	75 Ohm (Coax)
Front	Headphone (3.5 mm jack)

Miscellaneous

Mains	AC220-240V ±10%
Power consumption	34W
Auto stand-by power	5W
Weight (excl. pack.)	9.0 kg
Weight (incl. pack.)	10,9 kg
Dimensions	
- TV (wxhxd)	38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd)	49.5 x 46.4 x 47.6 cm
Cabinet Colour	Mid Grey 10763

Release date	March 1998
Predecessor(s)	14PT1332/14PT1532
Date of Issue	January 1998

Features and specifications subject to change without notice

Ας κάνουμε τον κόσμο μας καλύτερο.

PHILIPS

Downl... ManualsLib.com

Colour Television
14PT1363
14PT1563

Product highlights

- ***Scart***
  To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- ***24 Hours on/off timer***
  The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- ***Sharpness Control***
  8 steps Sharpness control for images with better details.
- ***Teletext***
  Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and ligh weight for easy portability*
- *Automatic switch-off*
- *Powerful portable aerial with high selectivity*
- *Low standby power 5 watts*
- *Remote control for installation and operation*
- *Menu driven operation*
- *Multistandard Reception Optional*
- *Hyperband Reception Optional*

RC 8201

RC 8205

Technical specifications

Chassis

• Type	:	L6

Picture

• Screen Diameter	:	14"
• Visual Screen	:	34 cm

Sound

• RMS output	:	3W
• Loudspeakers	:	3" full range side firing

Operation

• Remote control	:	RC8201 (14PT1363) RC8205 (14PT1563)
• Settings via OSD of	:	Volume Brightness Contrast Colour Sharpness Timer
• Timer	:	24 Hours on/off
• Programs	:	70 pre-selections

Teletext

• Reception standards	:	WST
• Memories	:	1-page
/00, /01, /05, /07, /11		Western Eur.TXT
/43		Greek+Turkish TXT
/58		East.Eur.Teletext
/60		Cyrillic TXT

Reception

• Tuning system	:	70 fold VST
• Transmission system	:	
/00, /11		PAL B/G
/01		PAL BG SECAM LL'
/43, /58, /60		PAL BG DK SECAM BG DK
/05, /07		PAL I
• Channel selections	:	
/00		VHF, UHF, S
/01, /07, /11, /43, /58/60		VHF, UHF, S, H
/05		UHF

Connections

• Rear	:	Euro A/V connector (Cenelec Specified)
Aerial input	:	75 Ohm (Coax)
• Front	:	Headphone (3.5 mm jack)

Miscellaneous

• Mains	:	AC220-240V ±10%
• Power consumption	:	34W
• Auto stand-by power	:	5W
• Weight (excl. pack.)	:	9.0 kg
• Weight (incl. pack.)	:	10,9 kg
• Dimensions:		
- TV (wxhxd)	:	38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd)	:	49.5 x 46.4 x 47.6 cm
• Cabinet Colour	:	Mid Grey 10763

Release date	:	March 1998
Predecessor(s)	:	14PT1332/14PT1532
Date of Issue	:	January 1998

Features and specifications subject to change without notice

Miglioriamo il tuo mondo.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television
14PT1363
14PT1563

Product highlights

- ***Scart***
  To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- ***24 Hours on/off timer***
  The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- ***Sharpness Control***
  8 steps Sharpness control for images with better details.
- ***Teletext***
  Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and ligh weight for easy portability*
- *Automatic switch-off*
- *Powerful portable aerial with high selectivity*
- *Low standby power 5 watts*
- *Remote control for installation and operation*
- *Menu driven operation*
- *Multistandard Reception Optional*
- *Hyperband Reception Optional*

RC 8201

RC 8205

Technical specifications

Chassis

• Type	:	L6

Picture

• Screen Diameter	:	14"
• Visual Screen	:	34 cm

Sound

• RMS output	:	3W
• Loudspeakers	:	3" full range side firing

Operation

• Remote control	:	RC8201 (14PT1363) RC8205 (14PT1563)
• Settings via OSD of	:	Volume Brightness Contrast Colour Sharpness Timer
• Timer	:	24 Hours on/off
• Programs	:	70 pre-selections

Teletext

• Reception standards	:	WST
• Memories	:	1-page
/00, /01, /05, /07, /11		Western Eur.TXT
/43		Greek+Turkish TXT
/58		East.Eur.Teletext
/60		Cyrillic TXT

Reception

• Tuning system	:	70 fold VST
• Transmission system	:	
/00, /11		PAL B/G
/01		PAL BG SECAM LL'
/43, /58, /60		PAL BG DK SECAM BG DK
/05, /07		PAL I
• Channel selections	:	
/00		VHF, UHF, S
/01, /07, /11, /43, /58/60		VHF, UHF, S, H
/05		UHF

Connections

• Rear	:	Euro A/V connector (Cenelec Specified)
Aerial input	:	75 Ohm (Coax)
• Front	:	Headphone (3.5 mm jack)

Miscellaneous

• Mains	:	AC220-240V ±10%
• Power consumption	:	34W
• Auto stand-by power	:	5W
• Weight (excl. pack.)	:	9.0 kg
• Weight (incl. pack.)	:	10,9 kg
• Dimensions:		
- TV (wxhxd)	:	38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd)	:	49.5 x 46.4 x 47.6 cm
• Cabinet Colour	:	Mid Grey 10763

Release date	:	March 1998
Predecessor(s)	:	14PT1332/14PT1532
Date of Issue	:	January 1998

Features and specifications subject to change without notice

Por si fazemos melhor.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

Colour Television

14PT1363
14PT1563

Product highlights

- ***Scart***
  To connect videorecorders, but also games and computers. The scart is fully wired and so is RGB compatible.
- ***24 Hours on/off timer***
  The TV is equipped with an on/off timer, set in 10 minutes steps up to a maximum of 24 hours.
- ***Sharpness Control***
  8 steps Sharpness control for images with better details.
- ***Teletext***
  Easy computer Controlled teletext for quick and easy access to the information transmitted by the TV broadcaster.

Supporting Features

- *Headphone socket*
- *70 Pre-selections*
- *Autostore*
- *Handle and ligh weight for easy portability*
- *Automatic switch-off*
- *Powerful portable aerial with high selectivity*
- *Low standby power 5 watts*
- *Remote control for installation and operation*
- *Menu driven operation*
- *Multistandard Reception Optional*
- *Hyperband Reception Optional*

RC 8201

RC 8205

Technical specifications

Chassis

• Type	:	L6

Picture

• Screen Diameter	:	14"
• Visual Screen	:	34 cm

Sound

• RMS output	:	3W
• Loudspeakers	:	3" full range side firing

Operation

• Remote control	:	RC8201 (14PT1363) RC8205 (14PT1563)
• Settings via OSD of	:	Volume Brightness Contrast Colour Sharpness Timer
• Timer	:	24 Hours on/off
• Programs	:	70 pre-selections

Teletext

• Reception standards	:	WST
• Memories	:	1-page
/00, /01, /05, /07, /11		Western Eur.TXT
/43		Greek+Turkish TXT
/58		East.Eur.Teletext
/60		Cyrillic TXT

Reception

• Tuning system	:	70 fold VST
• Transmission system	:	
/00, /11		PAL B/G
/01		PAL BG SECAM LL'
/43, /58, /60		PAL BG DK SECAM BG DK
/05, /07		PAL I
• Channel selections	:	
/00		VHF, UHF, S
/01, /07, /11, /43, /58/60		VHF, UHF, S, H
/05		UHF

Connections

• Rear	:	Euro A/V connector (Cenelec Specified)
Aerial input	:	75 Ohm (Coax)
• Front	:	Headphone (3.5 mm jack)

Miscellaneous

• Mains	:	AC220-240V ±10%
• Power consumption	:	34W
• Auto stand-by power	:	5W
• Weight (excl. pack.)	:	9.0 kg
• Weight (incl. pack.)	:	10,9 kg
• Dimensions:		
- TV (wxhxd)	:	38.9 x 34.5 x 37.4 cm
- Packaging (wxhxd)	:	49.5 x 46.4 x 47.6 cm
• Cabinet Colour	:	Mid Grey 10763

Release date	:	March 1998
Predecessor(s)	:	14PT1332/14PT1532
Date of Issue	:	January 1998

Features and specifications subject to change without notice

Juntos hacemos tu vida mejor.

PHILIPS

Downloaded from www.Manualslib.com manuals search engine

VIS_RC8205_FR1.EPS

VIS_RC8201_F3.EPS

VIS_RC8201_FR3.EPS

14PT1563_FTL1.EPS

Downloaded from www.Manualslib.com manuals search engine